

Outdoor Box BIQE0316-FM



Ideal for:



Telecom



Hotels & Resorts



Universities



Healthcare



Public Places



Airport



Transport



Industries

OVERVIEW

- This is a outdoor box, which integrates circuit breaker, AC socket, surge protector, fiber tray, etc. It has IP66 protection level, can be for outdoor using.
- It can be applied for surveillance monitoring, forest monitoring, etc.

FEATURES

- Provide 1 channel AC220V power input, 1 channel of AC power output;
- Built in fiber tray (4*SC), circuit breaker, waterproof connector, grounding arrayed;
- The box adopts waterproof (protection level IP66), anti-rust treatment, suitable for long time outdoor use;
- It can be applied to safe cities, smart transportation, tourist attractions monitoring, forest monitoring, water conservancy monitoring, etc.


PICTURE




HARDWARE SPECIFICATION

Parameter	Specifications
Power input	AC100~240V, 50/60Hz, 10A
AC output	AC output 1 channel
Fiber tray	4*SC
Circuit breaker	2P 10A
Connector	16*M25,waterproof
Operating Temperature -	- 40°C~75°C
Storage Temperature	- 40°C~85°C
Humidity (no condensation)	0~95%
Dimension(H×W×D)	500×380×220mm
Material	Metal
Colour	White
Net-weight	15kg

DIMENSION





ORDERING INFORMATION

Version	Describe
BIQE0316-FM	Outdoor box AC220V power input; contains circuit breaker, AC socket, surge protector, fiber tray. Industrial switches and power adaptor optional.



337 Forest Road,
London, United Kingdom



+44 7859 571344



info@bornelectronics.com



<https://bornelectronics.com/>