











Hotels & Resorts





Transport

Public Places



Healthcare



### **OVERVIEW**

It's an outdoor box, it contains circuit breaker, surge protector, fan controller, cooling fan, socket. It has IP66 protection level, can be used in outdoor.

It can be applied for surveillance monitoring, forest monitoring etc.

#### **FEATURES**

- Provide 1 channel AC220V power input.
- ✤ Built in circuit breaker, surge protector, fan controller, cooling fan, grounding array, etc.
- The box body adopts waterproof (protection level IP66), anti-rust treatment, suitable for long time outdoor use.
- ✤ It can be applied to safe cities, smart transportation, tourist attractions monitoring, forest monitoring, water conservancy monitoring, etc.

#### **PICTURE**






## BIQE0348 Outdoor Box series

#### HARDWARE SPECIFICATION

Parameter	Specifications
Power Input	AC100~240V, 50/60Hz, 10A
Power Output	AC100~240V output,2*AC socket
Operating Temperature	- 20℃~70℃
Storage Temperature	-40°C ~85°C
Humidity (no condensation)	0~95%
Dimensions(H×W×D)	600×680×550mm(from 19inch rack to the Back of Box,the depth is 464.8mm)
Material	Metal
Colour	White
Net-weight	25kg


1

#### **STRUCTURE**





# BIQE0348 Outdoor Box series



1

in 🛄 🗰



### BIQE0348 Outdoor Box series

#### **ORDERING INFORMATION**

Version	Describe
BIQE0348	Outdoor box AC220V power input;2*AC Socket; Built in circuit breaker , surge protector ,fan controller ,cooling fan, grounding array, etc;

1



# 337 Forest Road, London, United Kingdom



info@bornelectronics.com





https://bornelectronics.com/