

BIQE0316(3) Outdoor Box



Ideal for:



Telecom



Hotels & Resorts



Universities



Healthcare



Public Places



Airport



Transport



Industries

OVERVIEW

This is a outdoor box, which integrates circuit breaker, AC socket, surge protector, fiber tray, etc. It has IP66 protection level, can be for outdoor using.

It can be applied for surveillance monitoring, forest monitoring, etc.

FEATURES

- ✧ Provide 1 channel AC220V power input,2 channel of AC power output ;
- ✧ Built in fiber tray(4*LC),circuit breaker,waterproof connector,grounding array,etc;
- ✧ The box adopts waterproof (protection level IP66), anti-rust treatment, suitable for long time outdoor use;
- ✧ It can be applied to safe cities, smart transportation, tourist attractions monitoring, forest monitoring, water conservancy monitoring, etc.

PICTURE



BIQE0316(3)

Outdoor Box






HARDWARE SPECIFICATION

Parameter	Specifications
Power input	AC100~240V, 50/60Hz, 10A
AC output	AC output 2 channel
Fiber tray	4*LC
Circuit breaker	2P 10A
Connector	4*M25+4*PG7,waterproof
Operating Temperature	- 40°C~75°C
Storage Temperature	-40°C~85°C
Humidity (no condensation)	0~95%
Dimension(HxWxD)	500x380x500mm
Material	Metal
Colour	White
Net-weight	30kg


BIQE0316(3) Outdoor Box



STRUCTURE



BIQE0316(3) Outdoor Box



BIQE0316(3)

Outdoor Box



ORDERING INFORMATION

<u>Version</u>	Describe
BIQE0316(3)	Outdoor box AC220V power input; contains circuit breaker, 2*AC socket, surge protector, fiber tray. Industrial switches and power adaptor optional.



337 Forest Road,
London, United Kingdom

+44 7859 571344



info@bornelectronics.com



<https://bornelectronics.com/>